

**Example 5: Roots and Complex Numbers**

Simplify the following expressions.

a.  $(2 - \sqrt{-3})^2$

b.  $\frac{\sqrt{4}}{\sqrt{-4}}$

**Solution**

$$\begin{aligned} \text{a. } (2 - \sqrt{-3})^2 &= (2 - \sqrt{-3})(2 - \sqrt{-3}) \\ &= 4 - 4\sqrt{-3} + \sqrt{-3}\sqrt{-3} \\ &= 4 - 4i\sqrt{3} + (i\sqrt{3})^2 \\ &= 4 - 4i\sqrt{3} - 3 \\ &= 1 - 4i\sqrt{3} \end{aligned}$$

Each  $\sqrt{-3}$  is converted to  $i\sqrt{3}$  before multiplying.

$$\begin{aligned} \text{b. } \frac{\sqrt{4}}{\sqrt{-4}} &= \frac{2}{2i} \\ &= \frac{1}{i} \\ &= -i \end{aligned}$$

We simplify each radical before dividing.

We already simplified  $\frac{1}{i}$  in Example 4c, so we quickly obtain the correct answer of  $-i$ .**1.8 EXERCISES****PRACTICE**

Evaluate the following square root expressions. See Example 1.

1.  $\sqrt{-25}$

2.  $\sqrt{-12}$

3.  $-\sqrt{-27}$

4.  $-\sqrt{-100}$

5.  $\sqrt{-32x}$ ,  $x > 0$

6.  $\sqrt{-x^2}$

7.  $\sqrt{-29}$

8.  $(-i)^2 \sqrt{-64}$

Simplify the following complex expressions. See Examples 2, 3, and 4.

9.  $(4 - 2i) - (3 + i)$

10.  $(4 - i)(2 + i)$

11.  $(3 - i)^2$

12.  $i^7$

13.  $(7i - 2) + (3i^2 - i)$

14.  $(3 + i)(3 - i)$

15.  $(5 - 3i)^2$

16.  $(5 + i)(2 - 9i)$

17.  $i^{13}$

18.  $(9 - 4i)(9 + 4i)$

19.  $11i^{314}$

20.  $i^{132}$

21.  $(7 - 3i)^2$

22.  $(4 - 3i)(7 + i)$

23.  $(3i)^2$

- |                         |                      |                                         |
|-------------------------|----------------------|-----------------------------------------|
| 24. $(1+i)+i$           | 25. $i(5-i)$         | 26. $i^{-11}\left(\frac{6}{i^3}\right)$ |
| 27. $(10i^2-9i)+(9+5i)$ | 28. $(-5i)^3$        | 29. $i^7\left(\frac{49}{7i^2}\right)$   |
| 30. $\frac{1+2i}{1-2i}$ | 31. $\frac{10}{3-i}$ | 32. $\frac{i}{2+i}$                     |
| 33. $\frac{1}{i^9}$     | 34. $(2+5i)^{-1}$    | 35. $i^{-25}$                           |
| 36. $\frac{1}{i^{27}}$  | 37. $\frac{52}{5+i}$ | 38. $(2-3i)^{-1}$                       |
| 39. $\frac{4i}{5+7i}$   | 40. $i^{-4}$         | 41. $\frac{5+i}{4+i}$                   |

Simplify the following expressions. See Example 5.

- |                                |                              |                                      |
|--------------------------------|------------------------------|--------------------------------------|
| 42. $(3+\sqrt{-2})^2$          | 43. $(1+\sqrt{-6})^2$        | 44. $\frac{\sqrt{18}}{\sqrt{-2}}$    |
| 45. $(\sqrt{-32})(-\sqrt{-2})$ | 46. $(\sqrt{-9})(\sqrt{-2})$ | 47. $\frac{\sqrt{-98}}{3i\sqrt{-2}}$ |
| 48. $(\sqrt{-8})(\sqrt{-2})$   | 49. $(5+\sqrt{-3})^2$        | 50. $\frac{\sqrt{-72}}{5i\sqrt{-2}}$ |

### APPLICATIONS

51. Electrical engineers often use  $j$ , rather than  $i$ , to represent imaginary numbers. This is to prevent confusion with their use of  $i$ , which often represents current. Under this convention, assume the impedance of a particular part of a series circuit is  $4-3j$  ohms and the impedance of another part of the circuit is  $2+6j$  ohms. Find the total impedance of the circuit. (Impedances in series are simply added.)
52. Consider the formula  $V = IZ$ , where  $V$  is voltage (in volts),  $I$  is current (in amps), and  $Z$  is impedance (in ohms). If you know the current of a circuit is  $5-4j$  amps and the impedance is  $8+2j$  ohms, find the voltage.
53. If you know the voltage of a circuit is  $35+5j$  volts and the current is  $3+j$  amps, find the impedance.

### WRITING & THINKING

54. Explain why it may be useful to be able to use imaginary numbers in real-world math.

 TECHNOLOGY

Use a graphing utility to simplify the following complex expressions.

55.  $\frac{3-2i}{1+i}$

56.  $(3-2i)^4$

57.  $\frac{2500}{(3+i)^4}$

58.  $(2-5i)(3+7i)(1-4i)$

59.  $(1+i)^5(3-i)^2$

60.  $\frac{3+7i}{(2-5i)(1+3i)}$

61.  $\frac{6+3i}{2-4i}$

62.  $(5-3i)^5$

63.  $\frac{400}{(6+2i)^3}$

64.  $(6-3i)(8+i)(7-4i)$

65.  $(5-3i)^4(7+2i)^3$

66.  $\frac{4+3i}{(7-2i)(5+4i)}$